MONTGOMERY COUNTY, OHIO
HEALTH DISTRICT

0000003 167669

Name of Landfill SOUTH DAYTON DU	JMP & LANDFILL	Location 1975 SPRINGBORO PIKE
Name of Operator ALCINE GRILLOT		Address 2703 KREITZER ROAD
Method of Operation - Trench		
Estimated Daily Receipts - Loads	250 Tons	Cubic Yards
Area of Landfill - Total Acres	45 Acres Filled	Estimated Remaining Life
		Borrow Pit
•		Gully Hillside
		Other
Hours of Operations	A M To	P. M. Days operated per week
MONTGOMERY	COUNTY	
License Number <u>5</u>	Salvaging Permitted - Yes	Population ServedNo
Items marked by (X) are in violation.		
I. SITE - HE-24-04		PERATOR - HE-24-09
Ground Water Protection	(a) Operated According to	Plan (i) Vector Control
Surface Runoff	(b) Access to Site Limite	ed General Operation
Leachate Runoff	(c) Dumping Area Restrict	ed Supplemental Control
Solid Waste in Water Course	(c) Blowing Paper & Debri	s (j) Salvaging
Dust Control	(d) Equipment Adequate	(k) Animals Excluded
Odor Control	(d) Equipment Repair	(1) Fire Protection
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads
	(e) Properly Compacted	(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adec	uate (o) Responsible Party
Onen Burning	▼ (f) Covered Daily	uate (o) Responsible Party Present
Open Dumping	(f) Finished Cover Adequa	te
Open Burning	(g) Finished Grade Adequa	te
III. APPROVALS	(h) Special Material Hand	lling
Site - HE-24-07	Sewage Solids	
Plan - HE-24-08	Sewage Liquids	
114 IE 24 00	Hazardous Subs	tances
		AD IN A LAYER OF APPROXIMATELY DNE (1) FOO EQUIPMENT. AT THE END OF EACH DAY'S
OPERATION,	THE AREA SHALL BE COVERED	WITH A MINIMUM OF SIX (6) INCHES OF EARTH
		D GARBAGE OR REFUSE WILL BE PERMITTED AT
	OF DAILY OPERATION.	·
1112 02032 (A DATE: OF COLLEGE	
SECTION 65.65 BURNING WI	LL NOT BE PERMITTED ON THE	LANDFILL SITE. IF BURNING OF WOOD, FREE
GARBAGE AND	REFUSE IS PERMITTED ON A	DJACENT PROPERTY BY LOCAL ZONING AND FIRE
OFFICIALS,	THIS BURNING MUST BE KEPT	A MINIMUM OF 300' FROM THE LANDFILL SITE.
	***************************************	FILLED OUT DAILY AND GIVEN TO THE INSPECT
	IAN WHEN COMPLETED.	
THE SHITTING	TMU MUEN CONFELED.	

MONTGOMERY COUNTY, OHIO HEALTH DISTRICT

Name of Landfill SOUTH DAYTON	OUMP & LANDFILL	Location 1975 SPRINGEORO PIKE
Name of Operator ALCINE CRILLO	T	Address 2708 KREITZER ROAD
Method of Operation - Trench		
Estimated Daily Receipts - Loads	250 Tons	Cubic Yards
Area of Landfill - Total Acres	45 Acres Filled	Estimated Remaining Life
		Borrow Pit
Gravel Pit	Strip Mine	Gully Hillside
		Other
Hours of Operations	A. M. To	P. M. Days operated per week
deographic view perved	MERY COUNTY	Population Served
License Number5	Salvaging Permitted - Yes	No
Items marked by (X) are in violation.		
I. SITE - HE-24-04		PERATOR - HE-24-09
	(a) Operated According to	
	(b) Access to Site Limite	• •
	(c) Dumping Area Restrict	
-	(c) Blowing Paper & Debr	•
	(d) Equipment Adequate	(k) Animals Excluded
	(d) Equipment Repair	(i) Fire Protection
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads
	(e) Properly Compacted	(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adec	
	▼ (f) Covered Daily	uate (o) Responsible Party Present
Open Dumping	(f) Finished Cover Adequa	te
Open Burning _	(g) Finished Grade Adequa	ite
III. APPROVALS	(h) Special Material Hand	lling
Site - HE-24-07	Sewage Solids	
Plan - HE-24-08	Sewage Liquids	;
11411 115 24 00	Hazardous Subs	tances
COMMENTS AND RECOMMENDATIONS:		
Section 65.65 All garbage	and refuse shall be sprea	d in a layer of approximately one (1) foot
00002011 07007 1122 303 17030		
and thoroug	hly compacted with heavy e	quipment. At the end of each day's
operation,	the area shall be covered	with a minimum of six (6) inches of earth
and thoroug	hlv compacted. No exposed	garbage or refuse will be permitted at
the close o	f daily operation.	
Recommend c	ontacting your customers a	nd having them separate refuse requiring
landfill fr	om inert industrial waste.	
Section 65.65 Burning wil	l not be permitted on the	landfill site. If burning of wood, free c
garbage and	refuse is permitted on adj	acent property by local soning and fire
Aff4 p4 27 p	this humains must be kent	a minimum of 300° from the landfill site.
Ullicials,	MITS OUT HITHE BITS O OR KENO	- MANAGEMENT OF JOO AT ON ONIO ACCOUNTS OF OUR

MONTGOMERY COUNTY, OHIO HEALTH DISTRICT

name of Landfill SOUTH	DAYTON DUMP	& LANDFILL	Location	1975	SPRINGBORO PIKE
					KRE ITZER ROAD
ethod of Operation - Trenc	h	Area			Other
stimated Daily Receipts - 1	Loads 2	50 Tons _			Cubic Yards
					Remaining Life
					Hillside
					Otheroperated per week
engraphic Area Served MO	TGOMERY COU	RITY .	Population Serv	od Oays	operated per week
		Salvaging Permitted - Yes			
tems marked by (X) are in a	violation.				
1. SITE - HE-24-04		IV.	PERATION - HE-2	4-09	
Ground Water Protection	ı <u></u>	(a) Operated According t	o Plan		(i) Vector Control
Surface Runoff		_ (b) Access to Site Limit	ed		General Operation
Leachate Runoff		_ (c) Dumping Area Restric			Supplemental Control
Solid Waste in Water Co	ourse	_ (c) Blowing Paper & Debr	is		(j) Salvaging
Dust Control		_ (d) Equipment Adequate			(k) Animals Excluded
Odor Control		_ (d) Equipment Repair	· 		(1) Fire Protection
Smoke Control		_ (e) Properly Spread	_ 		(m) Hot or Burning Loads
		(e) Properly Compacted	quate X X X		(n) Records
I. DOMPING & BURNING - HE-	24-06	(f) Covered Material Ade	quate		(o) Responsible Party
Open Dumping		(f) Covered Daily			Present
Open Burning	X				
		(g) Finished Grade Adequ			
I. APPROVALS		(h) Special Material Han	_		
Site - HE-24-07		Sewage Solids			
Plan - HE-24-08		Sewage Liquid - Hazardous Sub			
ELATIVE TO DISPO	SAL OF SOLI				
					APPROXIMATELY ONE (1)
F	OUT AND THOR	OUGHLY COMPACTED WITH	HEAVY EQUIP	ENT.	AT THE END OF EACH DAYS
Of	PERATION, TH	E AREA SHALL BE COVER	ED WITH A MI	MUMII	OF SIX (6) INCHES OF
E	ARTH AND THO	ROUGHLY COMPACTED.	NO EXPOSED GAI	RBAGE	OR REFUSE WILL BE
Pi	RMITTED AT	THE CLOSE OF DAILY OF	PERATION.		
SI	PARATION OF	REFUSE REQUIRING LA	ADFILL SHOULD	BE M	ADE FROM INERT INDUSTRIAL
					NDFILLED. (SEE SECTION
		LA UNIOLD DE NOCEPHI	- VITEL WY AT		
	5.67)	II DE BERMTTER OU T	r (AMETII C	TE A	C CTIBINATED BY THE BOADS
		FF DE LEMMITER ON II	JE FYIMLIFF 2	LIE A	S STIPULATED BY THE BOARD
FEBRUARY 20 & 27	, 1969	GALE	E. O'BRIEN	Sani	tarian OVER
DH - 4825, 10					

OF HEALTH UPON ISSUANCE OF YOUR LICENSE. IF BURNING OF WOOD, FREE OF GARBAGE AND EREFUSE IS PERMITTED ON ADJACENT PROPERTY BY LOCAL ZONING AND FIRE OFFICIALS, THIS BURNING MUST BE KEPT A MINIMUM OF THREE HUNDRED FEET (3001) FROM THE LANDFILL SITE.

DAILY RECORDS MUST BE KEPT OF YOUR OPERATION AND SUBMITTED TO THE INSPECTING SANITARIAN UPON REQUEST. FORMS FOR THIS PURPOSE HAVE BEEN MAILED THIS DATE UNDER SEPARATE COVER.

IF YOU HAVE ANY QUESTIONS REGARDING THIS LETTER OR IF WE CAN BE OF ANY ASSISTANCE, PLEASE FEEL FREE TO CALL UPON US.

MONAIME PRODUCTS
DAYTON STRUEL
DAYTON P. L.,
Good WILL
SAL. Army

MALTH DETRICT DUNTY, DHID Name of Landfill DUTH DAYTON DUMP & LANTING Location 1975 STRINGBORD PIKIS

Name of Operator CLOSINE GRILLET Address 708 KRETTER KORD Method of Operation - Trench ____ ___ Area ___ Estimated Daily Receipts - Loads _________________ _____ Cubic Yards Area of Landfill - Total Acres 45 Acres Filled ______ Estimated Remaining Life ____ General Characteristics of Site - Quarry ___ _____ Borrow Pit __ Gravel Pit ______ Strip Mine _____ Gully _____ Hillside _____ License Number ______ Salvaging Permitted - Yes ______ No ____ Items marked by (X) are in violation. IV. OPERATION - HE-24-09 I. SITE - HE-24-04 _____ (a) Operated According to Plan Ground Water Protection (i) Vector Control Surface Runoff _____ (b) Access to Site Limited General Operation ____ (c) Dumping Area Restricted Leachate Runoff Supplemental Control _ Solid Waste in Water Course ____ (c) Blowing Paper & Debris (j) Salvaging Dust Control _ (d) Equipment Adequate (k) Animals Excluded Odor Control ____ (d) Equipment Repair (1) Fire Protection Smoke Control __ (e) Properly Spread (m) Hot or Burning Loads (e) Properly Compacted (n) Records II. DUMPING & BURNING - HE-24-06 (f) Covered Material Adequate (o) Responsible Party (f) Covered Daily Present Open Dumping (f) Finished Cover Adequate Open Burning (g) Finished Grade Adequate (h) Special Material Handling III. APPROVALS Sewage Solids Site - HE-24-07 Sewage Liquids Plan - HE-24-08 Hazardous Substances COMMENTS AND RECOMMENDATIONS: ECTION 65.65 GARBISE, PAINT THIMUSE PAPER FUNNITURE BEING DUMPED AND NOT COVERED. THIS SECTION OF THE MONTGOMERY DINTY SOUTARY KEGULATION KILATIVE DISBOSAL OF SOLID KINSTES KEADS ALL GARBAGE AND KEFUSE SHALL BE SPREAD IN LAYERS OF HYPROXIMATEL ONE (1) FOOT AND THORONGHLY (ENDIE) WITH HEAVY EQUIDITALT. AT THE EN OF FACH DAYS OPERATION, THE AREA SHALL BE COVERED WITH A

CH 27 1969

MONTGOMERY COUNTY OHIO HEALTH DISTRICT

ame of Landfill SOUTH DAYTON DUM			
ame of Operator ALCINE GRILLOT			
lethod of Operation - Trench			
Estimated Daily Receipts - Loads 250			
Area of Landfill - Total Acres45			
General Characteristics of Site - Quarry			
	Strip Mine		
	Marsh or Flood Plain		
Hours of Operations			
eographic Area Served MONTGOMERY C			
icense Number5	Salvaging Permitted - Yes	No No	
tems marked by (X) are in violation.			
I. SITE - HE-24-04	IV. OP	ERATION - HE-24-09	
Ground Water Protection	(a) Operated According to	Plan	(i) Vector Control
Surface Runoff	(b) Access to Site Limited		General Operation
Leachate Runoff	(c) Dumping Area Restricte		Supplemental Control
Solid Waste in Water Course	(c) Blowing Paper & Debris		(j) Salvaging
Dust Control	(d) Equipment Adequate		(k) Animals Excluded
Odor Control	(d) Equipment Repair	 	(1) Fire Protection
Smoke Control	(e) Properly Spread		(m) Hot or Burning Loads
	(e) Properly Compacted		(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adequ	ate	(o) Responsible Party
Onen Burnin-	(f) Covered Daily		Present
Open Dumping	(f) Finished Cover Adequat	е	
Open Burning	(g) Finished Grade Adequat	e	
III. APPROVALS	(h) Special Material Handl	ing	
Cito - UE.O4 07	Sewage Solids		
Site - HE-24-07	Sewage Liquids		
Plan - HE-24-08	Hazardous Subst	ances.	
SECTION 65.65 GARBAGE, PAINT	, PAPER AND FURNITURE ARE	BEING DUMPED A	NO NOT COVERED AND
	HE END OF EACH DAY'S OPER		
NO EXPOSED GAR	BAGE AND REFUSE WILL BE F	ERMITTED AT THE	CLOSE OF THE DAILY
OPERATION.			
REFUSE REQUIRI	NG LANDFILL SHOULD BE SEE	ARATED FROM INF	RT INDUSTRIAL WASTE
		THE PERSON NAMED IN COLUMN	
MATERIAL. ALL	PAPER MUST BE LANDFILLER	·	
			
ABOTE to todo	•		
APRIL 10, 1969 Date	A404 A CA	u prace San	itarian
	LITESTAM	- WINEY	

WILLIAM H. BINES

Name of Landfill Seath Dayton Dump & Landfill Lecation 1975 Springhore Pike Dayton Name of Operator New Algine Grillick Address 2708 Restrate Rend Dayton 3 Settimated Daily Receipts Loads 2 15 Tons Other Other Gravel Trees A5 Acres Filled Setimated Remaining Life General Characteristics of Site Quarry Strip Mine Guily Williside Gravel Arms Marsh or Flood Piain Guily Williside Cavel Arms Salvaging Permitted Yes X Ecographic Arms Served Montgomery County Population County Population County Population County Population County County Population County County Population County C		Montgorery County	Montgomery County HEALTH DISTRICT			file: 12/31/69		
Method of Operation - Trench	Name of Landfill South Dayton Dump	& Landfill	Location	1975 :	Springhero	Pika, Bayton 3		
Estimated Daily Receipts - Loads 35. Acres of Landfill - Total Acres 45. Acres Pilled Borrow Pit Borrow								
Area of Landfill - Total Acres								
General Characteristics of Site Quarry Grave! Pit								
Gravel Pit Strip Mine Gully Hillside Level Area Marsh or Flood Plain Other Nours of Operations								
Level Area Marsh or Flood Plain Other X Oburs of Operations 7:00 A.M. To 5:00 P.M. Days operated per week 6 leographic Area Served Montgomery County Population Served 3000000000000000000000000000000000000								
Hours of Operations 7:00 A.M. To 5:00 P.M. Days operated per week 6 Hoographic Area Served Hourseary County Population Served 3000000 + County								
Population Served Nontgomery County Population Served Stocked Salvaging Permitted - Yes X No								
Commented Salvaging Permitted Yes X No						-		
IV. OPERATION - HE-24-09 Ground Mater Protection (a) Operated According to Plan (i) Vector Control Surface Runoff (b) Access to Site Limited General Operation Supplemental Control Solid Waste in Water Course (c) Dumping Area Restricted Supplemental Control Odor Control Odor Control Smoke Control (d) Equipment Repair (ii) Fire Protection Smoke Control (e) Properly Spread (f) Het or Burning Loads (e) Properly Compacted (f) Covered Material Adequate (g) Prinished Cover Adequate (g) Prinished Cover Adequate (g) Prinished Grade Adequate (g) Prinished Grade Adequate (g) Prinished Grade Adequate (g) Pinished Grade Adequate (g) Pinished Grade Adequate (g) Pinished Grade Adequate (g) Pinished Sewage Solids Sewage Liquids Hazardous Substances COMMENTS AND RECOMMENDATIONS: 1. All burning on the landfill site must cease. Open burning is not permitted. 2. All exposed material shall be compacted and covered with earth or foundry sand at a required finished cover depth of two fact to prevent unsightlifiess and insect and roden harborage. In addition, a comprehensive program of rodent elimination is required as described in previous correspondence. 3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	_	-						
Site - HE-24-07 Plan - HE-24-08 Sewage Liquids Hazardous Substances OWNENTS AND RECOMMENDATIONS: 1. All burning on the landfill site must cease. Open burning is not permitted. 2. All exposed material shall be compacted and covered with earth or foundry sand at a required finished cover depth of two feet to prevent unsightlidess and insect and roden harborage. In addition, a comprehensive program of rodent elimination is required as described in previous correspondence. 3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	I. SITE - HE-24-04 Ground Water Protection Surface Runoff Leachate Runoff Solid Waste in Water Course Dust Control Odor Control Smoke Control II. DUMPING & BURNING - HE-24-06 Open Dumping Open Burning	(a) Operated According t (b) Access to Site Limit (c) Dumping Area Restric (c) Blowing Paper & Debr (d) Equipment Adequate (d) Equipment Repair (e) Properly Spread (e) Properly Compacted (f) Covered Material Adequate (f) Covered Daily (f) Finished Cover Adequate (g) Finished Grade Adequate	o Plan ed is quate ate		General Supplem (j) Salvaging (k) Animals E (l) Fire Prot (m) Hot or Bu (n) Records	Operation ental Control xcluded ection rning Loads		
Sewage Liquids Hazardous Substances Department of the landfill site must cease. Open burning is not permitted. 2. All exposed material shall be compacted and covered with earth or foundry sand at a required finished cover depth of two feet to prevent unsightliftess and insect and roden harborage. In addition, a comprehensive program of rodent elimination is required as described in previous correspondence. 3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	ii. At 100 VALIS	• • =						
Plan - HE-24-08 Hazardous Substances DMMENTS AND RECOMMENDATIONS: 1. All burning on the landfill site must cease. Open burning is not permitted. 2. All exposed material shall be compacted and covered with earth or foundry sand at a required finished cover depth of two feet to prevent unsightliffess and insect and roden harborage. In addition, a comprehensive program of rodent elimination is required as described in previous correspondence. 3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	Site - HE-24-07		 S					
 All burning on the landfill site must cease. Open burning is not permitted. All exposed material shall be compacted and covered with earth or foundry sand at a required finished cover depth of two feet to prevent unsightlifiess and insect and roden harborage. In addition, a comprehensive program of rodent elimination is required as described in previous correspondence. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec. 	Plan - HE-24-08							
harborage. In addition, a comprehensive program of rodent elimination is required as described in previous correspondence. 3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	1. All burning on the landfi 2. All exposed material shall	.1 be compacted and cov	ered with	earth o	r foundry s	and at a		
described in previous correspondence. 3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	required finished cover d	lepth of two feet to pr	event unsi	ghtlide	ss and inse	ct and rodent		
3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	harborage. In addition,	a comprehensive progra	m of roden	t elimi	nation is r	equired as		
3. On December 31, 1969, your landfill permit expires. Solid waste as defined by Sec.	described in anomicus con							
	described in bleatons cor	respondence.						
	3. On December 31 1969 was	r landfill navmit amni	res. Soli	d wate	as defined	by Sec.		
3734.01 of the Chio Revised Code may not be accepted for disposal after this date.	37 48 3434234 31, 1747, 744							
	3734.01 of the Chic Revis	ed Code may not be acc	epted for	dispose	l after thi	s date.		
		· · · · · · · · · · · · · · · · · · ·						
				· · · · · · · · · · · · · · · · · · ·				

Daso E Ologo Sanitarian

Montgomery County, Ohio HEALTH DISTRICT

Name of Landfill South Dayton Land	F111	Location 1975	Springboro Pike, Davton, Dh
Name of Operator Nr. Alcine Grillot		Address 2708	Kreitzer Rd., Deyton, Ohio
Method of Operation - Trench	Area X		Other
Estimated Daily Receipts - Loads	Tons		Cubic Yards
Area of Landfill - Total Acres	Acres Filled	Estimate	d Remaining LifeYr
General Characteristics of Site - Quarry	Bor	row Pit	
			Hillside
Level Area	Marsh or Flood Plain		Other
Hours of Operations	A. M. To	P.M. Day	s operated per week
License Number		pulation Served _	000,000
Ficeuse Number	Salvaging Permitted - les	No	
I tems marked by (X) are in violation.			
I. SITE - HE-24-04	IV. OPERA	TOR - HE-24-09	
Ground Water Protection	(a) Operated According to Pl	an	(i) Vector Control
Surface Runoff	_ (b) Access to Site Limited		General Operation
Leachate Runoff	_ (c) Dumping Area Restricted		Supplemental Control
Solid Waste in Water Course	_ (c) Blowing Paper & Debris		(j) Salvaging
ust Control	_ (d) Equipment Adequate		(k) Animals Excluded
odor Control	_ (d) Equipment Repair		(1) Fire Protection
Smoke Control	_ (e) Properly Spread		(m) Hot or Burning Loads
TT PERMITS & PURSITS HE OF OC	(e) Properly Compacted (f) Covered Material Adequat		(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered material Adequate	eX	(o) Responsible Party Present
Open Dumping	(f) Finished Cover Adequate		110000
Open Burning	(g) Finished Grade Adequate		
III. APPROVALS	(h) Special Material Handlin	g	
Git. UE O. OE	Sewage Solids		
Site - HE-24-07	Sewage Liquids		
Plan - HE-24-08	Hazardous Substan	ces	
COMMENTS AND RECOMMENDATIONS:			
II. B. Open burning is not	permitted on the landfil	1 eita. Dies	omtinue all such humning
The state of the s	<u> </u>	1 31141 3130	Siciliae ari sacii sariiniye
		···	
Y. (f). Daily cover - A comp	acted layer of at least	six (6) inche	s of material is to be used
to cover all exposed	solid wastes at the end	of each work	ing day.
On December 31, 1969, your la	ndfili permit expired.	Solid waste.	as defined by Section
3734.01 of the Ohio Revised Co	ode, may not be accepted	uniess your	permit is renewed for 1970.
		-	
			
February 24, 1970			

Montgomery, Co.

for our files "

Nome of Landfill , Small, De	at Du	Juddie	Lycation	1975	Acces Acces	P,
Name of Landfill South De Name of Operator Man Cle	in a dire	le int	Location	17/3	Variable B	<u> </u>
Method of Operation - Trench		Aron	Address _	4168	Othor	
Estimated Daily Receipts - Loads _						
Area of Landfill - Total Acres						
General Characteristics of Site -						
					Hillside	
					Other	
Hours of Operations						
Geographic Area Served					• • • • • • • • • • • • • • • • • • • •	
License Number						
						
Items marked by (X) are in violation	on.					
I. SITE - HE-24-04		_	PERATION - H			
Ground Water Protection		Operated According to		_X	(i) Vector Control	
Surface Runoff	•	Access to Site Limite		 -	General Operation	
Leachate Runoff		Dumping Area Restrict			Supplemental Cont	rol
Solid Waste in Water Course	•	Blowing Paper & Debri	.s		(j) Salvaging	
Dust Control	• •	Equipment Adequate			(k) Animals Excluded	
Odor Control	, .	Equipment Repair			(1) Fire Protection	
Smoke Control	• •	Properly Spread			(m) Hot or Burning Load:	
	•	Properly Compacted			(n) Records	
II. DUMPING & BURNING - HE-24-06	` '	Covered Material Adeq		<u> </u>	(o) Responsible Party	
Open Dumping		Covered Daily			Present	
Open Burning	X	Finished Cover Adequa Finished Grade Adequa				
TTT ADDOGUAL C		Special Material Hand				
III. APPROVALS	(11)	Sewage Solids	irrig			
Site - HE-24-07		Sewage Liquids				
Plan - HE-24-08		Hazardous Subs				
IL HE-24-66 (6)		U				
	enifel !	ste Ope	en bu	min	y was obser	red
_	- * 4.	·				
		- day.				
TV HE - 24-09(a)	The Lan	elill in m	at hein	-	enter acre	سنسهار
		and the second s				
	to un a	perational	men	<u></u>	plan, since	me
	been man	hon free.	•		•	
IV HE-24-09 (L)	mater	I is not be	ing 4	agreen	by composite	٧
(f:)	- The ex	peace refus	- mat	enne	on mt	
					•	
	being	consend de	aly we	the a	t least 6"	
	_					
	- 7 Pu	e mileu	~ ~ ~ °	- du	ly basis.	ren
	•	2				
	wales	are lay	my ex	person	m the	
	_surface	e of the g	naund !	<u> </u>		
	•					•
(n:)	we stan	m mu	at su	ude	of your	
			_			
	aarly !	of of operation	- for	7 10		
3-17-7-		_				
Date		<i></i>	ve c.	Sanii	arian	

Montzomery Country HEALTH DISTRICT

Name of Landfill South Day	to Dung and Larfiel Location	1975 Springlessa Road
Name of Operator Mr. Weine	Address _	2768 Kreitzen Road
Method of Operation - Trench	AreaX	Other
Estimated Daily Receipts - Loads	35Tons	Cubic Yards
Area of Landfill - Total Acres	45 Acres FilledE	stimated Remaining Life
	uarry Borrow Pit	
	Strip Mine Gully	
	Marsh or Flood Plain	
	7:00 A.M. To P	
	Population S	
License Number	Salvaging Permitted - Yes	No
Items marked by (X) are in violation	7.	
I. SITE - HE-24-04	IV. OPERATION - HE	E- 24 - 09
Ground Water Protection	(a) Operated According to Plan	(i) Vector Control
Surface Runoff	(b) Access to Site Limited	General Operation
Leachate Runoff	(c) Dumping Area Restricted	Supplemental Control
Solid Waste in Water Course	(c) Blowing Paper & Debris	(j) Salvaging
Dust Control	(d) Equipment Adequate	(k) Animals Excluded '
Odor Control	(d) Equipment Repair	(1) Fire Protection
Smoke Control	(e) Properly Spread	(m) Hot or Burning Loads
S	(e) Properly Compacted	(n) Records
II. DUMPING & BURNING - HE-24-06	(f) Covered Material Adequate	(o) Responsible Party
	(f) Covered Daily	Present
Open Dumping	(f) Finished Cover Adequate	
Open Burning	(g) Finished Grade Adequate	
III. APPROVALS	(h) Special Material Handling	
· · · · · · · · · · · · · · · · · · ·	Sewage Solids	
Site - HE-24-07	Sewage Liquids	
Plan - HE-24-08	Hazardous Substances	
	it 17. 1970, and may	
•	Dissussion with Mr. Ken	
	· · · · · · · · · · · · · · · · · · ·	
may 35, reveale	I that at present the	above site is
•		
- assepting sale	a fill material, metal	, and whole
refuse solid	fill material is deposit	see in the parties
	facetices to	
- sportion of the	lassifiase, metal is sup	eated in the
central portion	of the area, and wood	is burned in the
western jentis	of the area. Periodic	ally, metal in
- ga for a	ale from the above sate	
	ing that you continue you	
spran a regul	an basis in the future.	
ODH - 4825. 10 Pur file	Conv not sent out	Sanitarian

menty Court, Comering terms Son & mich

Manual Company (1)	د ما ما ما ما ما ما		سرود. در		man	<u>ر</u>
Name of Landfill						
Name of Operator					20, 3000	
Estimated Daily Receipts - Loads						
Area of Landfill - Total Acres						
General Characteristics of Site - Quar						
	Strip Mine					
	Marsh or Flood Plain					
Hours of Operations						
Geographic Area Served						
License Number						
Items marked by (X) are in violation. I. SITE - HE-24-04	TV	OPERATION - H	F.21.NQ			
	(a) Operated According			(i) Vector Conti	-ol	
Surface Runoff	(b) Access to Site Lim			General Or		
Leachate Runoff	(c) Dumping Area Restr			_ -	al Control	
	(c) Blowing Paper & De			(j) Salvaging	ar control	
Dust Control	(d) Equipment Adequate			(k) Animals Excl	uded	
	(d) Equipment Repair			(1) Fire Protect		
	(e) Properly Spread			(m) Hot or Burni		
	(e) Properly Compacted			(n) Records		
II. DUMPING & BURNING - HE-24-06	(f) Covered Material A			(o) Responsible	Party	
	(f) Covered Daily				resent	
Open Dumping	(f) Finished Cover Ade	quate		•		
Open Burning	(g) Finished Grade Ade	quate				
III. APPROVALS	(h) Special Material H	andling				
	Sewage Soli	ds				
Site - HE-24-07	Sewage Liqu	ids				
Plan - HE-24-08	Hazardous S	ubstances				
	the above incust		,		=	
in mar and	+ c. Marinon	in on &	mitan	2 - 19 coul	ر/	
7			•	·	•	
,470.	···					
- Sully file in	being departe	1 in the	a la	afiel are	<u>~,</u>	
•						
and metal is so				C.		
lanifiel						
	an Destrutor i	· un	ten l	Lun, Om	_e+	
on the site for	desposed of a	mlustil	er s	naturals	<u> </u>	
a satisfactory						
thousand mall	of the inspire	Tim de	<u> </u>			
		·				
						
9-22-70 Date		Sace	e al	Paramentarian		
Date			Sani	tafian		